Journal of Biomedical Materials Research

Volume Contents–1986

Issue 1, January 1986

A note from the Editor
A. N. Cranin iii
Alginate dental impression materials: Chemistry, structure, and properties
W. Cook..... 1
Adhesion behavior of rat lymphocyte subpopulations (*B* cell and *T* cell) on the surface of polystyrene/polypeptide graft copolymer
M. Maeda, M. Kimura, S. Inoue, K. Kataoka, T. Okano, and Y. Sakurai 25
In vivo biocompatibility studies. VII. Inflammatory response to polyethylene and to a cytotoxic polyvinylchloride
R. E. Marchant, J. M. Anderson, and E. O. Dillingham 37
Bioerodible polyanhydrides as drug-carrier matrices. II. Biocompatibility and chemical reactivity
K. W. Leong, P. D'Amore, M. Marletta, and R. Langer 51
Use of tricalcium phosphate or electrical stimulation to enhance the bone-porous implant interface
J. L. Berry, J. M. Geiger, J. M. Moran, J. S. Skraba, and A. S. Greenwald..... 65
The preparation and physicochemical characterization of an injectable form of reconstituted, glutaraldehyde cross-linked, bovine corium collagen
J. M. McPherson, P. W. Ledger, S. Sawamura, A. Conti, S. Wade, H. Reihanian, and D. G. Wallace..... 79
An examination of the biologic response to injectable, glutaraldehyde cross-linked collagen implants
J. M. McPherson, S. Sawamura, and R. Armstrong 93
A comparative study of the biologic and immunologic response to medical devices derived from dermal collagen
F. DeLustro, R. A. Condell, M. A. Nguyen, and J. M. McPherson 109
The effect of resin formulation on the degree of conversion and mechanical properties of dental restorative resins
J. L. Ferracane and E. H. Greener 121

Issue 2, February 1986

Announcement v
Fracture toughness determination of dental amalgams through microindentation
R. Hassan, T. K. Vaidyanathan, and A. Schulman 135
Percutaneous healing of clinical tympanic membrane implants
D. L. Powers, M. L. Henricks, and A. F. von Recum..... 143
The effects of an enhanced inflammatory reaction on the surface properties of cast Biomer
R. E. Marchant, J. M. Anderson, E. Castillo, and A. Hiltner..... 153
Acoustoelectric technique for assessing the mechanical state of the dental implant-bone interface
T. Kaneko, Y. Nagai, M. Ogino, T. Futami, and T. Ichimura..... 169
Clinical study of urokinase-bound fibrocollagenous tubes
F. Senatore, F. Bernath, and K. Meisner..... 177
Lysis time and FDP immunoprecipitation by soluble and immobilized urokinase
F. Senatore and F. Bernath 189
Synthesis and bioevaluation of alkyl 2-cyanoacryloyl glycolates as potential soft tissue adhesives
H. Jaffe, C. W. R. Wade, A. F. Hegyeli, R. M. Rice, and J. Hodge..... 205
Synthesis and bioevaluation of a rapidly biodegradable tissue adhesive: 1,2-Isopropylidene glyceryl 2-cyanoacrylate
H. Jaffe, C. W. R. Wade, A. F. Hegyeli, R. M. Rice, and J. Hodge..... 213
Release of corrosion products by F-75 cobalt base alloy in the rat II: Morbidity apparently associated with chromium release *in vivo:* A 120-day rat study
K. L. Wapner, D. M. Morris, and J. Black..... 219
Thrombin uptake and inhibition on endothelium and surfaces with a stable heparin coating: A comparative *in vitro* study
C. Arnander, M. Dryjski, R. Larsson, P. Olsson, and J. Swedenborg 235
SEM analysis of surface-treated dialdehydestarch
T. Shimizu, Y. Tanaka, Y. Yamazaki, M. Ueda, and I. Isa 247
Composites for use in posterior teeth: Mechanical properties tested under dry and wet conditions
H. Øysæd, and I. E. Ruyter..... 261
Note: Polyurethane radiopaque marker for indwelling devices
J. W. Boretos, M. E. Girton, and J. L. Doppman..... 273
Announcements..... 277
Call for papers 281

Issue 3, March 1986

Zinc release from dental restorative materials *in vitro*
S. D. Meryon and K. J. Jakeman 285
Glass transition temperatures of dental porcelains at high heating rates
S. W. Twiggs, D. T. Hashinger, R. Morena, and C. W. Fairhurst 293
Evaluation of anti-inflammatory agents using a model of granuloma formation evoked by divinyl copolymer beads in the mouse lung
S. E. Coleman, C. I. Hood, F. J. Schoen, and J. M. Rheinhardt 301
In vitro calcification and *in vivo* biocompatibility of the cross-linked polypentapeptide of elastin
S. A. Wood, J. E. Lemons, K. U. Prasad, and D. W. Urry 315
A simple method to heparinize biological materials
Y. Noishiki and T. Miyata 337
Polyacrylic acid–metal adhesive bond joint characterization by x-ray photoelectron spectroscopy
T. Nasu 347
Mechanical effects on rates of hemolysis
T. Nakahara and F. Yoshida 363
On the correlation between the failure of vascular grafts and their structural and material properties: A critical analysis
B. Pourdeyhimi and H. D. Wagner 375
Book review: *Interaction of the Blood with Natural and Artifical Surfaces*
T. A. Horbett 411
Announcements 413
Erratum 415

Issue 4, April 1986

Retrieval and analysis of a clinical total artificial heart
D. L. Coleman, H. L. C. Meuzelaar, T. R. Kessler, W. H. McClennen, J. M. Richards, and D. E. Gregonis 417
Ex vivo interactions and surface property relationships of polyetherurethanes
M. D. Lelah, T. G. Grasel, J. A. Pierce, and S. L. Cooper 433
Immobilization of factor XIII on collagen membranes
B. G. Blanchy, P. R. Coulet, and D. C. Gautheron 469

Preserved and foreign cartilage interpositional materials for silastic finger joint implant arthroplasty
D. L. Powers, D. M. Gaisser, and Q. Barton 481
The influence of static stress on the corrosion behavior of 316L stainless steel in Ringer's solution
K. J. Bundy, M. A. Vogelbaum, and V. H. Desai 493
Quantitative surface analysis of Cardiothane 51 by FT-IR-ATR spectroscopy
R. Iwamoto, K. Ohta, T. Matsuda, and K. Imachi 507
Mechanical properties of polymeric membranes obtained by radiation cast-polymerization of hydroxyalkyl and hydroxy-polyethyleneglycol methacrylate monomers
M. Kumakura 521
Adhesion of coagulase-negative staphylococci to methacrylate polymers and copolymers
A. H. Hogt, J. Dankert, and J. Feijen 533

Issue 5, May/June 1986

ARTICLES

Use of concentrated fibrinogen in experimental splenic trauma
H. B. Kram, S. T. Hino, D. P. Harley, A. W. Fleming, and W. C. Shoemaker 547
Molecular and mechanical property changes during aging of bone cement *in vitro* and *in vivo*
M. A. Looney and J. B. Park 555
Bacterial inhibition by electrical activation of percutaneous silver implants
J. A. Spadaro, S. E. Chase, and D. A. Webster 565
Use of concentrated fibrinogen in experimental tracheal repair
H. B. Kram, S. T. Hino, D. P. Harley, A. W. Fleming, and W. C. Shoemaker 579
Acute surface-induced thrombosis in the canine *ex vivo* model: Importance of protein composition of the initial monolayer and platelet activation
K. Park, D. F. Mosher, and S. L. Cooper 589
The effect of annealing treatments on the tensile properties and hydrolytic degradative properties of polyglycolic acid sutures
A. Browning and C. C. Chu 613
A model of thrombin inactivation in heparinized and nonheparinized tubes with consequences for thrombus formation
D. Basmadjian and M. V. Sefton 633

Quantitative characterization of cells at the interface of long-term implants of selected polymers
C. A. Behling and M. Spector 653

NOTES

Biodegradation of and tissue reaction to poly(DL-lactide) microcapsules
G. E. Visscher, R. L. Robison, H. V. Maulding, J. W. Fong, J. E. Pearson, and G. J. Argentieri 667
Platelet adhesion to surfaces treated with glow discharge and albumin
G. Joseph and C. P. Sharma 677
Announcements 683

Issue 6, July/August 1986

Letter to the Editor
D. F. Williams v
Perforated demineralized bone matrix: A new form of osteoinductive biomaterial
E. Gendler 687
Ligament and tendon substitution with composite carbon fiber strands
D. G. Mendes, M. Iusim, D. Angel, A. Rotem, D. Mordehovich, M. Roffman, S. Lieberson, and J. Boss 699
Pulmonary reaction to intravenously injected polymer beads
F. J. Schoen, E. B. Kintanar, R. G. Osol, and E. Lee 709
Red blood cells deposit membrane components on contacting surfaces
N. Borenstein and J. L. Brash 723
Omiderm, a new synthetic wound covering: Physical properties and drug permeability studies
D. Behar, M. Juszynski, N. Ben Hur, J. Golan, A. Eldad Y. Tuchman, N. Sterenberg, and B. Rudensky 731
The kinetics of baboon fibrinogen absorption to polymers: *In vitro* and *in vivo* studies
T. A. Horbett, C. M. Cheng, B. D. Ratner, A. S. Hoffman, and S. R. Hanson 739
The influence of substratum surface free energy on growth and spreading of human fibroblasts in the presence and absence of serum proteins
J. M. Schakenraad, H. J. Busscher, C. R. H. Wildevuur, and J. Arends 773

Displacements of precious and nonprecious dental bridges utilizing endosseous implants as distal abutments
M. W. Bidez, J. E. Lemons, and B. P. Isenberg 785
The biocompatibility of solution cast and acetone-extracted cast Biomer
R. E. Marchant, J. M. Anderson, A. Hiltner, E. J. Castillo, J. Gleit, and B. D. Ratner 799
Mechanical characterization of commercially made carbon-fiber-reinforced polymethylmethacrylate
S. Saha and S. Pal 817
Comparison of *in vitro* bacterial bioluminescence and tissue culture bioassays and *in vivo* tests for evaluating acute toxicity of biomaterials
S. A. Burton, R. V. Petersen, S. N. Dickman, and J. R. Nelson 827
Dependence of curing times, peak temperature, and mechanical properties on the composition of bone cement
G. M. Brauer, D. R. Steinberger, and J. W. Stansbury 839

NOTE

Effect of pore size of porous bead carriers immobilizing antibody on IgE absorption
H. Sato, T. Kidaka, and M. Hori 853
Announcement 859
Errata 861

Issue 7, September 1986

Adhesion behavior of rat lymphocytes to poly(ether)-poly(amino acid) block and graft copolymers
M. Yokoyama, T. Nakahashi, T. Nishimura, M. Maeda, S. Inoue, K. Kataoka, and Y. Sakurai 867
Crystallinity and solubility behavior of iron-containing fluoridated hydroxyapatites
M. Okazaki, J. Takahashi, and H. Kimura 879
Fracture analysis of retrieved orthopedic wires
I. L. Baswell, T. Sander, B. Allen, Jr., and C. O. Bechtol 887
Antithrombogenic heparinized polyacrylonitrile copolymer
H. Miyama, N. Fujii, A. Kuwano, S. Nagaoka, Y. Mori, and Y. Noishiki 895
Biomechanical analysis of needle holding security
J. G. Thacker, D. C. Borzelleca, J. C. Hunter, W. McGregor, G. T. Rodeheaver, and R. F. Edlich 903

Hydrophilic-hydrophobic microdomain surfaces having an ability to suppress platelet aggregation and their *in vitro* antithrombogenicity
T. Okano, T. Aoyagi, K. Kataoka, K. Abe, Y. Sakurai, M. Shimada, and I. Shinohara 919
Effect of microstructure of poly(propylene-oxide)-segmented polyamides on platelet adhesion
N. Yui, K. Sanui, N. Ogata, K. Kataoka, T. Okano, and Y. Sakurai 929
Effect of pH on the microhardness of renal calculi
L. G. Johrde and F. H. Cocks 945
Collagen at interfaces I. *In situ* collagen absorption at solution/air and solution/polymer interfaces
M. Deyme, A. Baszkin, J. E. Proust, E. Perez, and M. M. Boissonnade 951
Polymer coating for hemoperfusion over activated charcoal
N. Hasirci and G. Akovali 963
Synthesis of novel polyaminoetherurethaneureas and development of antithrombogenic material by their chemical modifications
R. Shibuta, M. Tanaka, M. Sisido, and Y. Imanishi 971
The biological performance of calcium phosphate ceramics in an infected implantation site: I. Biological performance of hydroxyapatite during *Staphylococcus aureus* infection
C. A van Blitterswijk, J. J. Grote, K. de Groot, W. Th. Daems, and W. Kuijpers 989
The biological performance of calcium phosphate ceramics in an infected implantation site: II. Biological evaluation of hydroxyapatite during short-term infection
C. A. van Blitterswijk, D. Bakker, J. J. Grote, and W. Th. Daems 1003
Synthesis and antithrombogenicity of polyetherurethaneurea containing quaternary ammonium groups in the side chains and of the polymer/heparin complex
Y. Ito, M. Sisido, and Y. Imanishi 1017
Suppression of platelet activity on microdomain surfaces of 2-hydroxyethyl methacrylate-polyether block copolymers
T. Okano, M. Uruno, N. Sugiyama, M. Shimada, I. Shinohara, K. Kataoka, and Y. Sakurai 1035
Announcements 1049

Issue 8, October 1986

Editorial v

Influence of mixing technique on some properties of PMMA bone cement
P. Eyerer and R. Jin 1057
Bonding strength of alkyl-2-cyanoacrylates to bone *in vitro*
J. Kilpikari, M. Lapinsuo, P. Törmälä, H. Pätiälä, and P. Rokkanen 1095
Short-term biocompatibility studies of hydrogel-grafted collagen copolymers
S. Amudeswari, B. Nagarajan, C. R. Reddy, and K. T. Joseph 1103
In vitro testing of dental materials by means of macrophage cultures. I: Methodological aspects
S. Syrjänen, K. Nilner, and A. Hensten-Pettersen 1111
In vitro testing of dental materials by means of macrophage cultures. II: Effects of particulate dental amalgams and their constituent phases on cultured macrophages
S. Syrjänen, A. Hensten-Pettersen, and K. Nilner 1125
Adsorption of plasma proteins to the derivatives of polyetherurethaneurea carrying tertiary amino groups in the side chains
Y. Ito, M. Sisido, and Y. Imanishi 1139
Synthesis and antithrombogenicity of anionic polyurethanes and heparin-bound polyurethanes
Y. Ito, M. Sisido, and Y. Imanishi 1157
Adsorption of plasma proteins to the derivatives of polyaminoetherurethaneurea: The effect of hydrogen-bonding property of the material surface
T. Sanada, Y. Ito, M. Sisido, and Y. Imanishi 1179
The biological performance of calcium phosphate ceramics in an infected implantation site III: Biological performance of β-whitelockite in the noninfected and infected rat middle ear
C. A. van Blitterswijk, J. J. Grote, H. K. Koerten, and W. Kuijpers 1197
Collagen-based wound dressings: Control of the pore structure and morphology
C. J. Doillon, C. F. Whyne, S. Brandwein, and F. H. Silver 1219
The effect of HIPing on the fatigue and tensile strength of a cast, porous-coated Co–Cr–Mo alloy
F. S. Georgette and J. A. Davidson 1229
Elongation of brachymetatarsy with ceramic implant: A roentgenographic evaluation of its utility
K. Yonenobu, K. Tada, K. Takaoka, Y. Tsuyuguchi, and K. Ono ... 1249
Announcement 1257

Issue 9, November/December 1986

Editorial
A. N. Cranin v
Letter to the Editor: A general classification scheme for hydrophilic and hydrophobic biomaterial surfaces
A. S. Hoffman ix
Identification of proteins adsorbed from human plasma to glass bead columns: Plasmin-induced degradation of adsorbed fibrinogen
J. L. Brash and J. A. Thibodeau 1263
Histopathologic evaluation following chronic implantation of chromium and steel based metal alloys in the rabbit central nervous system
H. C. Rauch, M. E. Ekstrom, I. N. Montgomery, F. Parada, and J. Berke 1277
Bone bonding behavior of three kinds of apatite containing glass ceramics
T. Kitsugi, T. Yamamuro, T. Nakamura, S. Higashi, Y. Kakutani, K. Hyakuna, S. Ito, T. Kokubo, M. Takagi, and T. Shibuya 1295
Threaded versus porous-surfaced designs for implant stabilization in bone-endodontic implant model
C. Maniatopoulos, R. M. Pilliar, and D. C. Smith 1309
Measurements of thermal properties for human femora
S. Biyikli, M. F. Model, and R. Tarr 1335
A histologic and mechanical evaluation of carbon-coated polyester suture
S. D. Cook, M. A. Kester, M. E. Brunet, H. G. French, R. J. Haddad, and A. D. Haubold 1347
Macrophage activation with multi-porous beads prepared from partially deacetylated chitin
K. Nishimura, S. Nishimura, H. Seo, N. Nishi, S. Tokura, and I. Azuma 1359
Molecular weight distribution of a bulk ultra-high molecular weight polyethylene product—impax 5M + UHMW–NAT
R. P. Kusy and J. Q. Whitley 1373
Influence of alloy composition on the hardening of silver–tin dental amalgam
J. R. Abbott, D. R. Miller, and D. J. Netherway 1391
Evaluation of the *in vitro* and *ex vivo* blood compatibility of primary reference materials
H. Pelzer and N. Heimburger 1401

Optical methods for the nondestructive evaluation of collagen morphology in bioprosthetic heart valves
S. L. Hilbert, V. J. Ferrans, and W. M. Swanson 1411
Announcements 1423
Author index 1429
Subject index 1435
Information for contributors 1439
Volume contents iii